

Catholic Ladies' College



Anaphylaxis Management Policy and Procedures

clc.vic.edu.au

19 Diamond St, Eltham
Victoria 3095, Australia
03 9439 4077

ABN 44 058 164 891

Under the Stewardship of
Mary Aikenhead Ministries



LOVE HOPE COMPASSION JUSTICE



Catholic Ladies' College Ltd
(ACN 058 164 891) (ABN 44 058 164 891)

Anaphylaxis Management

Catholic Ladies' College (the College) is a Mary Aikenhead Ministry in the tradition of the Sisters of Charity. We seek to develop in each member of our community a contemporary understanding and application of the charism of Mary Aikenhead, the spirituality of the Sisters of Charity, the mission and vision of Mary Aikenhead Ministries and their values of justice, love, compassion and hope.

In responding to this call Catholic Ladies' College is a Christ-centred community established to educate, in partnership with parents, women of faith, integrity, individuality and compassion, confident of their own worth as women and wholly involved in the transformation of society.

Purpose

To provide, as far as practicable, safe and supportive environments in which students at risk of anaphylaxis receive reasonable adjustments that enable them to fully participate in College programs and activities.

Scope/Intended Audience

This policy applies to the following individuals:

- the Principal, all staff including contractors, volunteers and casual relief staff ('Staff')
- students who have been diagnosed by a medical practitioner as having a medical condition that relates to allergy and the potential for anaphylactic reaction, where the College has been notified of that diagnosis
- parents and carers of students who have been diagnosed by a medical practitioner as having a medical condition that relates to allergy and the potential for anaphylactic reaction.

Guiding Principles

- The College seeks to ensure the safety and wellbeing of all students whilst at school
- The Principal and all staff work with parents and carers to ensure, as far as practicable, that the needs of children at risk of anaphylaxis will be considered, mitigated and minimised during College activities
- The Principal and all staff take steps to reduce and manage risks to students with anaphylaxis in the College environment and at school-approved activities
- The Principal, at all times, ensures that the College complies with *Ministerial Order 706: Anaphylaxis Management in Victorian Schools and School Boarding Premises* (MO 706) and the associated *Anaphylaxis Guidelines* as published and amended by the Department of Education (DE) from time to time.



Ministerial Order 706 – School requirements

The College will fully comply with MO 706 and the associated *Anaphylaxis Guidelines* (Guidelines) as published and amended by the DE from time to time to support the implementation of MO 706.

The Principal, at all times, has the overall responsibility to comply with and implement the requirements of MO 706 and the associated Guidelines. The Principal may allocate tasks under MO 706 to other staff at the College, such as the Deputy Principal, Assistant Principal, First Aid Manager or other appropriate College staff members, as outlined in this policy. Where the Principal has allocated tasks to other staff, the Principal retains final oversight of all responsibilities under MO 706.

The Principal (or delegate) works collaboratively with parents and carers to ensure the timely provision of up-to-date Australasian Society of Clinical Immunology and Allergy (ASCIA) Action Plan for Anaphylaxis (RED), in accordance with MO 706, for each student diagnosed with a medical condition that relates to allergy and the potential for anaphylactic reaction.

Definitions and Abbreviations

Adrenaline autoinjector device - an adrenaline autoinjector device, approved for use by the Commonwealth Government Therapeutic Goods Administration, which can be used to administer a single pre-measured dose of adrenaline to those experiencing a severe allergic reaction (anaphylaxis). These may include EpiPen®, EpiPen® Jr, Jext® Jr 150, Jext® 300 or Anapen® 500.

Adrenaline autoinjector - for general use A 'backup' or 'unassigned' adrenaline autoinjector purchased by a school. These can be EpiPen®, EpiPen® Jr, Jext® Jr 150, Jext® 300, or Anapen® 500.

Adrenaline device - an adrenaline device, approved for use by the Commonwealth Government Therapeutic Goods Administration, which can be used to administer a single pre-measured dose of adrenaline to those experiencing a severe allergic reaction (anaphylaxis). These may include EpiPen®, EpiPen® Jr, Anapen® 500, Jext® Jr 150, Jext® 300, Neffy® 1 mg and Neffy® 2 mg

For the purposes of emergency response, all devices (autoinjector or nasal spray) are referred to collectively as “adrenaline devices”

Anaphylaxis - is a severe, rapidly progressive allergic reaction that is potentially life threatening. The most common allergens in school aged children are peanuts, eggs, tree nuts (e.g. cashews), cow's milk, fish and shellfish, wheat, soy, sesame, lupin and certain insect stings (particularly bee stings).

Anaphylaxis Guidelines (Guidelines) - a resource for managing severe allergies in Victorian schools, published by the Department of Education (DE) for use by all schools in Victoria and updated from time to time.

ASCIA - Australasian Society of Clinical Immunology and Allergy - the peak professional body of clinical immunology and allergy in Australia and New Zealand.

ASCIA Action Plan: a nationally recognized, color-coded medical emergency document created by the Australasian Society of Clinical Immunology and Allergy (ASCIA). It provides step-by-step instructions on how to recognize and treat severe and mild allergic reactions, including how to administer emergency adrenaline (epinephrine)

EpiPen®, Anapen® and Jext® - are autoinjectable devices that deliver the drug adrenaline (epinephrine). They are used when someone is experiencing a severe allergic reaction

IAMP – Individual Anaphylaxis Management Plan



Neffy® - a nasal spray adrenaline device that delivers the drug adrenaline (epinephrine). It is used when someone is experiencing a severe allergic reaction.

Registered medical/health practitioner - a person registered under Australian Health Practitioner Registration Agency (AHPRA) and relevant state/national board for their health profession, whether the registration of that person is general, specific, provisional, interim or non-practising but does not include a registered student.

College approved activities - any academic, sporting, social or other activities for which students' attendance or participation is authorised or organised by the College.

School or College environment - any of the following physical, online or virtual places used during or outside school hours:

- online or virtual school environments made available or authorised by the College for use by a child or student (including email, intranet systems, software, applications, collaboration tools and online services)
- other locations provided by the College or through a third-party provider for a child or student to use including, but not limited to, locations used for camps, approved homestay accommodation, delivery of education and training, sporting events, excursions, competitions and other events (*Ministerial Order 1359, Vic*)

Staff – includes the Principal, all staff including contractors, volunteers and casual relief staff

Procedures

1. Individual Anaphylaxis Management Plan and ASCIA Action Plan for Anaphylaxis (RED)

1.1 Individual Anaphylaxis Management Plan (IAMP)

The Principal is responsible for ensuring that every student at the College diagnosed with a medical condition that relates to allergy and the potential for anaphylactic reaction has an Individual Anaphylaxis Management Plan (IAMP). The IAMP must be in place as soon as practicable after the student enrolls at the College, and where possible before the student's first day of attendance at the College.

Each student's IAMP is completed by the College in consultation with the student's parents and carers and includes:

- information about the medical condition that relates to allergy and the potential for anaphylactic reaction, including the type of allergy or allergies the student has (based on a written diagnosis from a medical practitioner)
- strategies that will be implemented by the College to minimise the risk of exposure to known and notified allergens while the student is under the care or supervision of College staff, for settings in and out of the College, including in the school yard, at camps and excursions, or at special events conducted, organised or attended by the College
- whether the student can self-administer their medication
- the name of the person/s responsible for implementing the risk minimisation/prevention strategies
- information on where the student's medication will be stored
- the student's emergency contact details
- a copy of the action plan for anaphylaxis in an ASCIA-approved Action Plan for Anaphylaxis (RED) template completed and signed by a medical practitioner provided by the parents and carers.



1.2 Reviewing the IAMP

The Principal is responsible for ensuring that each student's IAMP is monitored and reviewed in consultation with their parents and carers in all the following circumstances:

- annually
- if the student's medical condition changes as it relates to allergy and the potential for anaphylactic reaction
- as soon as is practicable after the student has an anaphylactic reaction at school
- when the student is to participate in an off-site activity such as camps and excursions, or at special events conducted, organised or attended by the College (e.g. class parties, elective subjects, cultural days, fetes, incursions).

1.3 ASCIA Action Plan for Anaphylaxis (RED)

The Principal is responsible for ensuring that a copy of the signed ASCIA Action Plan for Anaphylaxis (RED) [ASCIA Action Plan for Anaphylaxis \(RED\)](#) is held by the College for every student diagnosed with a medical condition related to allergy and at risk of anaphylactic reaction. This plan must be provided by the parents and carers and retained by the College together with the student's IAMP.

Each student's ASCIA Action Plan for Anaphylaxis (RED) must:

- outline the student's severe allergies and the steps to take in the event of an anaphylactic reaction
- include designated fields for medical information and a current photograph, which must be completed by the student's medical practitioner or nurse practitioner. As a formal medical document, these sections cannot be completed by parents, carers or College staff
- be updated according to the review date specified by the student's medical doctor or nurse practitioner, identified on the current plan. If there is no change in the student's allergy, the plan is updated by the date specified by the student's medical practitioner or nurse practitioner on the current plan. This typically occurs every 12 to 18 months, in line with the student's medical review and renewal of their adrenaline prescription.

1.4 Parent and carer responsibilities

The Principal is responsible for working collaboratively with parents and carers to ensure they understand and fulfil their responsibilities to:

- provide the College with a copy of their child's current ASCIA Action Plan for Anaphylaxis (RED) signed by the student's medical practitioner or nurse practitioner and:
- include an up-to-date photo of their child for the ASCIA Action Plan for Anaphylaxis (RED) when that plan is provided to the College and when it is reviewed
- promptly inform the College in writing of any changes to their child's allergy-related medical condition and, where applicable, provide an updated ASCIA Action Plan for Anaphylaxis (RED) with an updated photo whenever the plan is reviewed. The Principal is responsible for ensuring that updated documentation or medication is obtained from parents and carers as required, in accordance with the College's Communication plan (as outlined at 8.0)
- supply the College with an adrenaline device that is current and not expired for their child and replace the prescribed medication and/or adrenaline device before its expiry date
- participate in a Program Support Group (PSG) meeting at least annually, or as required, to review and update the child's IAMP based on medical advice
- provide an [ASCIA Travel Checklist for People at Risk of Anaphylaxis](#) prepared by a registered medical practitioner, as well as an ASCIA Action Plan for Anaphylaxis (RED), when the student is attending a school-related excursion, camp or travel involving an aeroplane.



Table 1: Summary of documentation and medication required for anaphylaxis management

Document or device	Who provides/creates it?	Who signs it?	When?
ASCIA Action Plan for Anaphylaxis (RED) along with updated photo	Parents and carers	Doctor, Nurse Practitioner	At diagnosis, by the date specified on the student's ASCIA plan – in line with the student's medical review annually, before excursions and camps, as required.
Individual Anaphylaxis Management Plan (IAMP)	College	Principal/Principal nominee, parents and carers	At diagnosis, annually, before a school-related excursion, camp or travel and if the student has an anaphylactic reaction at school.
Medication (EpiPen®, Anapen®, etc.)	Parents and carers	N/A, as prescribed in the ASCIA Action Plan for Anaphylaxis (RED)	At diagnosis, at the time of use or before expiry date (usually within 12–18 months).
ASCIA Travel Plan for People at Risk of Anaphylaxis	Parents and carers	Doctor, Nurse Practitioner	Before going on a school-related excursion, camp or travel <i>involving an aeroplane</i> .

2. Anaphylaxis and Allergy Register

The Principal is responsible for assigning responsibility to a member of staff to maintain an up-to-date register of students identified as having a medical condition that relates to allergy and the potential for anaphylactic reaction and is responsible for sharing this with all staff and accessible to all staff in an emergency.

2.1 Register of students with anaphylaxis

The Principal will nominate a staff member (usually the First Aid Manager) to maintain an up-to-date register of students at risk of anaphylactic reaction. This information will be shared with all staff and accessible to all staff in an emergency. The list is kept in the following locations:

- College Administration Office (First Aid Room)
- Food Technology
- CLC Connect
- Synergetic
- Staffroom
- Yard duty folders

All locations are regularly updated and verified to ensure consistency with the current ASCIA Action Plan.

3. Location of IAMPs, ASCIA Action Plans for Anaphylaxis (RED) and Adrenaline Devices for General Use

(note: For the purposes of emergency response, all devices (autoinjector or nasal spray) are referred to collectively as “adrenaline devices”)

The Principal is responsible for ensuring that:



- all College staff are informed of the location of student IAMPs and ASCIA Action Plans for Anaphylaxis (RED) during normal College activities including in the classroom, the school yard, all school buildings and sites including gymnasiums and halls
- this information is accessible during excursions, camps and any special events conducted, organised or attended by the College
- if a student is participating in domestic or overseas travel, the [ASCIA Travel Checklist for People at Risk of Anaphylaxis](#) is completed by a registered medical practitioner.

3.1. Location, storage and accessibility of adrenaline devices

The Principal is responsible for ensuring that:

- a sufficient supply of adrenaline devices for general use is purchased at the expense of the College, no prescription is necessary
- adrenaline devices for general use are stored in multiple, clearly labelled locations around the College, including the sick bay or first aid room, and portable first aid kits, as required
- adrenaline devices for general use are replaced immediately after use or upon expiry; whichever occurs first. (Expiry dates are usually within 12–18 months).

At the College, adrenaline devices for general use serve as a back-up to those supplied by parents and carers for individual students. These adrenaline devices may also be required in emergencies for another student who has not previously been diagnosed by a medical practitioner as having a medical condition that relates to allergy and the potential for anaphylactic reaction.

3.2. Determining minimum adrenaline device requirements

The Principal is responsible for determining the number and type of adrenaline devices for general use required by the College. In making this decision, the Principal will consider:

- the number of students enrolled at the College who have been diagnosed by a medical practitioner as having a medical condition that relates to allergy and the potential for anaphylactic reaction, where the College has been notified of that diagnosis, and the type and accessibility of the adrenaline device supplied by parents and carers for each student
- the number of and location of storage points across the College, including the school yard
- the frequency and nature of College-approved off-site activities, such as excursions, camps and special events
- the expiry period of the different brands of adrenaline devices for general use (usually 12–18 months)
- the type and brand of adrenaline devices for general use, considering:
- available brands in Australia registered with the Therapeutic Goods Administration (TGA) (EpiPen®, EpiPen Jr®, Anapen 500®, Anapen 300® and Anapen Jr®, Jext® and Neffy® (nasal spray)). All devices can be used when provided by parents and carers for students, however, the Principal can only purchase EpiPen®, Anapen® or Jext® autoinjectors for general use
 - types suitable for emergency use
 - brands that are widely accessible and do not require a prescription.

CLC provides adrenaline (epinephrine) autoinjector (EpiPen® or Anapen®) for general use.

3.3 Storage requirements

The Principal is responsible for ensuring that adrenaline autoinjectors for general use purchased by the College and adrenaline devices supplied by parents and carers are stored in a cool dark place at room temperature, which is defined as between 15 and 25 degrees Celsius. Where these temperatures cannot be maintained, ASCIA recommends storing the device in an insulated wallet. Students who have been approved to self-administer, may choose to keep their prescribed adrenaline device on them.



The College Anaphylaxis Supervisors are responsible for ensuring that all College staff are familiar with the locations, storage and accessibility of adrenaline devices in the College, including those purchased for general use.

3.4 When to use an adrenaline autoinjector for general use

The Principal is responsible for ensuring that adrenaline autoinjectors for general use are used under the following circumstances:

- a student's prescribed adrenaline device does not work, is misplaced, misfires, has accidentally been discharged, is out of date or has already been used
- a student previously diagnosed with a mild or moderate allergy who was not prescribed an adrenaline device has their first episode of anaphylaxis
- when instructed by a medical officer after calling 000
- if a first time reaction is suspected, administer adrenaline immediately, then call 000
- The autoinjector may be used as a secondary dose if the student has misplaced their device or if after 5 minutes the initial dose has not been effective.

Where College staff are in doubt, the student will be given the adrenaline device as per the ASCIA Action Plan for Anaphylaxis (RED) and in alignment with the [ASCIA First Aid Plan for Anaphylaxis](#).

3.5 Self-administration

The decision as to whether a student may carry their own adrenaline device is made during the development of the student's IAMP, in consultation with the student, the parents and carers and the student's medical practitioner or nurse practitioner.

If a student is ordinarily capable of self-administering their adrenaline device, they may sometimes be unable to do so during a severe reaction. In such cases, College staff must administer the adrenaline device to the student as part of their duty of care.

If a student self-administers an adrenaline device:

- one member of College staff should supervise and monitor the student at all times
- another member of College staff should immediately contact an ambulance (000).

If a student carries their own adrenaline device, the College will keep a second adrenaline device (supplied by the parents and carers) in an easily accessible, unlocked location known to all College staff.

4.0 Staff training

The Principal is responsible for ensuring that:

- all College staff have adequate knowledge and training about allergies, anaphylaxis and the College's expectations in responding to an anaphylactic reaction
- all College staff successfully complete an anaphylaxis management training course (either online in the last two years or face-to-face in the last three years) if they:
 - supervise or instruct students with a medical condition relating to allergy and the potential for anaphylactic reaction, or
 - are specifically identified and requested to do so by the Principal, based on the Principal's assessment of the risk of an anaphylactic reaction occurring while a student is under that staff member's care, authority or supervision. For example, those teaching health and physical education, attending school camps or who are new to the College that require training
- volunteers and regular casual relief teachers (CRT) receive appropriate anaphylaxis training during induction sessions, when any student who has been diagnosed by a medical practitioner as having a medical condition that relates to an allergy and the potential for anaphylactic reaction, where



the College has been notified of that diagnosis, enrol in the College, or when the IAMP for current students are changed. CRTs who are not regular at the College are informed about any at risk students attending their classes or as relevant to the duties assigned to the CRT. This includes informing them of the location of the IAMPs and adrenaline devices both student supplied and those purchased by the College for general use throughout the College

- staff training takes place as soon as practicable after a student at risk of anaphylaxis enrolls and, where possible, before the student's first day at the College
- all staff participate in twice yearly anaphylaxis management staff briefings including information set out by the DE for use in Victorian schools, with one briefing at the commencement of the school year
- where the College has been notified and if for any reason the staff training and the required briefing have not yet occurred, the Principal is responsible for ensuring that an interim plan is developed, in consultation with parents and carers, of any student who has been diagnosed by a medical practitioner as having a medical condition that relates to allergy and the potential for anaphylactic reaction, and training must occur as soon as possible thereafter. When preparing the interim plan, the Principal will also consider consulting the College Anaphylaxis Supervisor, First Aid Manager and the student's treating medical practitioner

4.1 Staff training options

The Principal is responsible for ensuring that relevant staff have access to training and may choose from the following two options:

- Option 1: ASCIA Anaphylaxis e-training course Victorian Schools – this is a free course for all Victorian school staff (and the general public) and is delivered online. It is developed specifically for Victorian school staff to increase the quality of course delivery and consistency of training so all College staff are trained in the same way. Relevant staff must:
 - complete this course every two years
 - have a College Anaphylaxis Supervisor verify their competency in the correct use of adrenaline devices in line with the Anaphylaxis Management School Training Checklist, within 30 days of successfully completing this course
 - have the ASCIA certificate signed by a College Anaphylaxis Supervisor to confirm the staff member has also demonstrated proficiency in using an adrenaline device
- Option 2: Face-to-face anaphylaxis management course
Course in First Aid Management of Anaphylaxis 22578VIC provided by any Registered Training Organisation may be completed every three years by College staff as determined by the Principal.

4.2 Twice yearly staff briefings

The Principal is responsible for ensuring that College Anaphylaxis Supervisors or another staff member who has successfully completed an anaphylaxis management training course referred to in MO706 in the two years prior, lead all staff in twice yearly staff briefings on anaphylaxis management, with one held at the start of the school year. The College should use the Anaphylaxis management briefing presentation template, including the facilitator guide and presentation for briefings on the DE website: Resources page. The staff briefings will include information on:

- the College's Anaphylaxis Management Policy
- the causes, symptoms and treatment of anaphylaxis
- the identities of students, where the College has been notified, who have been diagnosed by a medical practitioner as having a medical condition that relates to allergy and the potential for anaphylactic reaction and the location of their IAMP and their medication/s
- how to use an adrenaline autoinjector, including hands-on practice with an adrenaline autoinjector trainer device (which does not contain adrenaline)
- the College's general first aid and emergency procedures



- the location of and access to the adrenaline devices prescribed for individual students that have been purchased by their family
- the location of and access to the adrenaline devices that the College has purchased for general use
- information on staff anaphylaxis training and renewal requirements and how to access ongoing support and training. The Principal is responsible for establishing clear expectations regarding anaphylaxis training requirements, the processes for completing training and the systems for maintaining training records, including assigning responsibility for record-keeping.

4.3 College Anaphylaxis Supervisors

The Principal is responsible for ensuring that the College appoints two staff members to perform the role of College Anaphylaxis Supervisors. These supervisors are authorised to sign ASCIA certificates for staff within the College.

Eligibility Requirements

To be eligible for the role, staff must hold and maintain the following certifications:

- ASCIA anaphylaxis e-training course, completed every 2 years
- Course in *Verifying the Correct Use of Adrenaline Injector Devices 22579VIC*, completed every 3 years (provided by Hero)
 - staff must also have completed the ASCIA e-training course within the previous 12 months before enrolling
- *First Aid Management of Anaphylaxis 22578VIC*, completed every 3 years (provided by Hero).

4.4 Device specific training requirements

On 1 September 2021, the Anapen® adrenaline (epinephrine) autoinjector was introduced into Australia for the treatment of anaphylaxis. College Anaphylaxis Supervisors must complete the Anapen® workshop when the College has a student enrolled with an [ASCIA Action Plan for Anaphylaxis \(RED\) 2026](#)

On 24 January 2026, the DE announced two additional adrenaline devices approved for emergency anaphylaxis treatment, both registered with the TGA and available in Australia from 2026:

- Neffy® adrenaline nasal spray
- Jext® adrenaline injector.

College Anaphylaxis Supervisors are required to complete an online workshop on the Neffy® or Jext® devices if:

- their current Course in Verifying the Correct Use of Adrenaline Injector Devices (22579VIC) certificate has more than six months remaining before renewal; or
- the College has a student with an ASCIA Action Plan for Anaphylaxis (RED) specifying Neffy® or Jext® and the College Anaphylaxis Supervisor has not previously been trained in these devices. College Anaphylaxis Supervisors who complete the Course in Verifying the Correct Use of Adrenaline Injector Devices (22579VIC) on or after the first day of Term 1, 2026 are not required to undertake the online workshop, as the updated course includes training specifying Neffy® and Jext®.

5.0 Responsibilities

College Anaphylaxis Supervisors are responsible for:

- providing evidence of completed training to the Principal or nominated staff member



- assessing and confirming correct use of adrenaline (trainer) devices by staff completing ASCIA e-training
- sending reminders to staff and inform new staff about anaphylaxis training requirements
- liaising with the Principal or the nominated staff member to ensure training records are maintained
- providing access to adrenaline devices for staff practice
- offering advice and guidance to staff on allergy and anaphylaxis management, as needed
- collaborating with parents and carers (and students where appropriate) to implement IAMPs
- where possible, lead the College's twice-yearly anaphylaxis briefing.

Responsibility	Training Requirements	Additional Requirements
Relevant College staff nominated by the Principal	• Option 1: ASCIA e-training course every two years OR • Option 2: Face to face anaphylaxis management course every three years AND • Anaphylaxis management staff briefings twice yearly	For Option 1 only: College Anaphylaxis Supervisor must evaluate an individual's competency in administering adrenaline devices within 30 days of successful course completion
College staff with a student with anaphylaxis in their class or as deemed required by the Principal	Option 1: ASCIA e-training course every two years OR • Option 2: Face to face anaphylaxis management course every three years AND • Anaphylaxis management staff briefings twice yearly	For Option 1 only: College Anaphylaxis Supervisor must evaluate an individual's competency in administering adrenaline devices within 30 days of successful course completion.
All College staff, including casual staff and volunteers	• Anaphylaxis management staff briefings twice yearly	
College Anaphylaxis Supervisor/s	ASCIA e-training course • Verifying the correct use of adrenaline injector devices 22579VIC • First aid management of anaphylaxis 22578VIC • Anapen® (epinephrine) adrenaline autoinjector workshop (if there is a student enrolled with an ASCIA Action Plan for Anaphylaxis Red Anapen) • Online workshop on Neffy® adrenaline nasal spray and/or	• Minimum of two supervisors • Must sign ASCIA certificates for staff • Lead twice yearly staff briefings



Responsibility	Training Requirements	Additional Requirements
	Jext® adrenaline injector if there is a student enrolled with an ASCIA Action Plan for Anaphylaxis (RED) specifying the use of a Neffy® or Jext® device (if previous	

6.0 Risk minimisation and prevention strategies

The Principal is responsible for ensuring that the Risk Minimisation Strategies for the College are followed to ensure that:

- risk minimisation and prevention strategies used by the College to prevent the risk of anaphylactic reaction are implemented across all relevant in-school and outside of school settings. This includes the school yard, camps and excursions, special events conducted, organised or attended by the College
- the strategies aim to reduce the risk of a student experiencing anaphylactic reaction
- a sufficient number of College staff are present and trained in accordance with the MO 706 (refer to Staff training (as outlined at 4.0) whenever a student at risk of an anaphylactic reaction is under the school's care or supervision outside normal class activities. This includes the school yard, camps and excursions, special events conducted, organised or attended by the College
- all staff are regularly reminded of their duty of care to protect students from reasonably foreseeable risks of injury, and understand that developing and implementing appropriate risk minimisation strategies to prevent incidents of anaphylaxis is an important step of fulfilling this duty of care
- all College staff, parents and carers, students and the wider College community understand that risk minimisation is a whole-school responsibility.
- The Principal is responsible for ensuring risk minimisation in College-specific settings, including but not limited to:
 - classroom activities (including class rotations, specialist and elective classes)
 - transitions between classes and breaks
 - canteens
 - recess and lunchtimes
 - before and after school where supervision is provided
 - special events including incursions, sports, cultural days, fetes or class parties, excursions and camps.

For risk minimisation in College specific settings, the Principal will refer to: [Best practice guidelines for anaphylaxis prevention and management in schools \(Allergy Aware\)](#) and [Risk Minimisation Strategies \(Allergy & Anaphylaxis Australia\)](#).

The Principal is responsible for ensuring that regular reviews are undertaken of the College's risk minimisation strategies considering information provided by parents and carers related to the risk of anaphylaxis.

6.1 Annual Anaphylaxis Risk Management Checklist

The Principal is responsible for ensuring that:



- the [Annual Anaphylaxis Risk Management Checklist for Schools \(DE template\)](#) is completed at the start of each year to monitor the College's compliance with MO 706 and any updates as published by the DE and the Victorian Catholic Education Authority (VCEA)
- the CLC Off-site Risk Management Checklist is completed when determining requirements for activities such as excursions, camps and travel
- A risk assessment specific to anaphylaxis is conducted prior to all camps and excursions

7.0 Emergency response to anaphylactic reaction

The Principal is responsible for ensuring that:

- the College has clear and comprehensive first aid and emergency response processes in place that allows staff to react quickly if anaphylactic reaction occurs, for both in-school and outside of school settings
- there are sufficient trained staff present in accordance with MO 706 whenever students at risk are under the College's care
- regular drills are conducted to test the effectiveness of these processes.

The Principal is responsible for determining how appropriate communication with College staff, students, parents and carers, and the wider College community will occur in the event of an emergency about anaphylaxis. This includes ensuring the understanding that anaphylaxis is the most severe type of allergic reaction and should always be treated as a medical emergency. Anaphylaxis requires immediate treatment with adrenaline (epinephrine). If treatment with adrenaline is delayed, this can result in fatal anaphylaxis.

The Principal is responsible for predominantly displaying copies of the [ASCIA First Aid Plan for Anaphylaxis and Emergency Response to Anaphylactic Reaction](#) and CLC Emergency Response to Anaphylactic Reaction in relevant locations, for example, first aid room, classrooms and in/around other College facilities, including the canteen.

7.1 Display of general and emergency plans

The Principal is responsible for ensuring that the College's Anaphylaxis Management Policy clearly outlines how it integrates with the College's general first aid and emergency response procedures. This includes:

- storing and displaying completed ASCIA Action Plans for Anaphylaxis (RED) and IAMPs in ways that allow staff to quickly and easily access them
- storing and posting the First Aid Plan for Anaphylaxis and the Emergency Response to Anaphylactic Reaction alongside general-use adrenaline devices in all designated locations
- embedding anaphylaxis-specific steps into the College's general emergency response plan
- ensuring emergency drills include scenarios for anaphylaxis
- keeping general-use adrenaline devices stored with first aid kits and emergency response posters
- aligning incident reporting with the College's existing first aid and critical incident reporting
- displaying emergency procedures for anaphylaxis around the College for reference.

7.2 Responding to an incident

In the event of an anaphylactic reaction, staff must follow:

- student's ASCIA Action Plan for Anaphylaxis (RED)
- ASCIA First Aid Plan for Anaphylaxis
- CLC Emergency Response to Anaphylactic Reaction
- the College's general first aid procedures.



In all situations

1. If safe to do so, lay the person flat, do not allow patient to stand or walk
2. If breathing is difficult allow patient to sit
 - Be calm, reassuring
 - Do not leave them alone
 - Seek assistance from another staff member or reliable student to locate the student's supplied adrenaline device or an adrenaline autoinjector for general use, and the student's IAMP with their ASCIA Action Plan for Anaphylaxis (RED).
3. Administer prescribed adrenaline device – note the time given and retain the used adrenaline device to give ambulance paramedics.
4. Phone ambulance 000 (112 – mobile)
5. If there is no improvement or severe symptoms progress, further adrenaline doses may be given every five minutes (if another adrenaline autoinjector/[device](#) is available)
6. Phone emergency contact

If in doubt, give an adrenaline autoinjector/[device](#)

If the student has not been previously diagnosed by a medical practitioner as having a medical condition that relates to allergy and the potential for anaphylactic reaction but appears to be having a severe allergic reaction, follow Steps 2–6 above

Immediate actions:

- A staff member will remain with the student at all times.
- The student will be laid flat. They will not be allowed to stand or walk. If breathing is difficult, the student will be allowed to sit with their legs outstretched.
- Another staff member will immediately locate the student's adrenaline device and the student's ASCIA Action Plan for Anaphylaxis (RED).
- The adrenaline device will be administered following the instructions in the student's ASCIA Action Plan for Anaphylaxis (RED). Where possible, only College staff with training in the administration of an adrenaline device will administer the student's adrenaline device. However, it is imperative that an adrenaline device is administered as soon as signs of anaphylaxis are recognised. If required, the adrenaline device will be administered by any person following the instructions in the student's ASCIA Action Plan for Anaphylaxis (RED).
- The student will not stand or be moved unless they are in further danger (for example, the anaphylactic reaction was caused by a bee sting and the beehive is close by). The ambulance should transport the student by stretcher to the ambulance, even if symptoms appear to have improved or resolved. The student must be taken to the ambulance on a stretcher if adrenaline has been administered.

7.3 Post-Incident Reporting

The administration of first aid to students from an anaphylactic incident or illness must be recorded, including all actions taken in the provision of care. This information can be recorded on CLC Connect under the Incident Tab as soon as reasonably practicable, in accordance with College Emergency and Critical Incident Management Procedures. The accident/incident register must be maintained.

7.4 Post-incident review



The Principal is responsible for ensuring that a copy of the first aid and/or incident report is provided to parents and carers of the student.

After an anaphylactic reaction has taken place that has involved a student in the College's care and supervision, the Principal is responsible for ensuring that the following review processes take place:

- The adrenaline device must be replaced by the parents and carers as soon as possible. In the meantime, the Principal or nominated staff member will ensure that there is an interim IAMP in place should another anaphylactic reaction occur prior to the replacement adrenaline device being supplied by the parents and carers.
- If the adrenaline autoinjector for general use has been used this should be replaced as soon as possible. In the meantime, the Principal or nominated staff member will ensure that there is an IAMP in place should another anaphylactic reaction occur prior to the replacement adrenaline autoinjector for general use being provided.
- The student's IAMP will be reviewed in consultation with the student's parents and carers.
- The College's Anaphylaxis Management Policy will be reviewed to ascertain whether there are any issues requiring clarification or modification in the policy, therefore supporting the College to meet its ongoing duty of care to students
- Findings from post-incident reviews will be used to improve school systems, training, and risk controls

8.0 Communication Plan

In addition to the information in this policy, the Principal is responsible for ensuring that an Anaphylaxis Communication Plan ('Communication Plan') is developed, regularly communicated and implemented to provide information for staff, students, parents and carers. The plan must:

- provide clear information to all College staff, students, parents and carers about anaphylaxis, the school's Anaphylaxis Management Policy, strategies for advising College staff and students about how to respond to an anaphylactic reaction of a student in various environments including onsite and offsite
- outline communication processes with parents and carers for obtaining current and updated medical documentation and medication
- establish specific practices to support staff awareness, including twice yearly staff briefings, regular briefings and induction processes for new staff, volunteers, CRTs, etc.
- identify actions to promote student awareness appropriate to age and development level.

8.1 Working collaboratively with parents and carers

The Principal is responsible for working collaboratively with parents and carers of students who have been diagnosed by a medical practitioner as having a medical condition that relates to allergy and the potential for anaphylactic reaction to ensure each student's needs are understood and supported. This includes:

- developing a clear process for requesting new or updated medical documentation and/or medication as part of annual or triggered reviews
- ensuring all communication is accessible, culturally appropriate and respectful of families.

8.2 Information to staff, parents and carers

The Communication Plan must include strategies for advising College staff, students, parents and carers about how to respond to an anaphylaxis reaction of a student in various environments:

- during normal College activities, including in a classroom, in the school yard, in all school buildings and facilities such as gymnasiums and halls
- during off-site or out of College activities, including on excursions, camps, during travel and at special events conducted, organised or attended by the College
- training that staff in the College have received.



The Principal develops a communication process for when new or updated medical documentation and/or medication is required as part of annual or triggered reviews. College staff engaged in this ensure that communication is accessible and culturally appropriate.

Staff will develop open, cooperative relationships with parents and carers to decide how information will be shared, requesting and updating medical information.

The College's policy is published on the College website.

8.3 Anaphylaxis Advisory Line

For further advice and support on MO 706, the Principal and College staff, and parents and carers can contact the Royal Children's Hospital Anaphylaxis Advice & Support Line via phone on 1300 725 911 or 9345 4235 or email anaphylaxisadvice@rch.org.au

9. Roles and Reporting Responsibilities

Role	Responsibility	Reporting Requirement
Principal	Maintain a register of students at risk of anaphylactic reaction	Annual Attestation
Principal	Ensure adequate adrenaline devices for general use are purchased and available in the College, and that these are replaced at time of use or expiry, whichever is first.	Annual Attestation
Principal	Ensure twice yearly briefings on anaphylaxis management are conducted with one briefing at the start of the school year.	Annual Attestation
Principal	Ensure staff have completed appropriate training and that adequate staff trained in anaphylaxis management are available for all College activities including off site activities and College approved activities outside school hours	Annual Attestation
Principal	Ensure a communication plan is developed to provide information to all staff, students, parents and carers about this policy and the College's procedure for anaphylaxis management.	Annual Attestation
Principal	Ensure this policy is published and available to the College community.	Annual Attestation
Anaphylaxis Supervisor or other staff member who has completed Anaphylaxis Management course successfully in past two years	Conduct twice yearly briefings for all staff on anaphylaxis management with one briefing at the commencement of the school year, using the briefing	Annual Attestation



Role	Responsibility	Reporting Requirement
	template provided by the DE for use in schools, including verbal briefings for casual staff and volunteers.	

Related Documents

CLC Annual Anaphylaxis Risk Management Checklist

CLC First Aid Policy

Individual Anaphylaxis Management Plan (IAMP) – Template

CLC Off-site Risk Management Checklist for Schools

CLC Emergency Response to Anaphylactic Reaction

CLC Anaphylaxis Communication Plan

[ASCIA First Aid Plan for Anaphylaxis](#)

[Department of Education Victoria Anaphylaxis Guidelines](#)

[ASCIA Action Plans and First Aid Plan for Anaphylaxis](#)

[ASCIA Travel Checklist for people at risk of anaphylaxis](#)

[Adrenaline \(Epinephrine\) Devices for General Use](#)

[Royal Children's Hospital Anaphylaxis Support Advisory Line](#)

Education and Training Reform Act 2006 (Vic)

Ministerial Order 706 (Vic)

Ministerial Order 1359 (Vic)

Review Schedule

Stage	Date	Ratified	Ratified by
Initiated	2015	2015	Executive
Review 1	2021	2021	Executive
Review 2	2025	2025	Executive
Review 3	June 2026	2026	Executive
Review 4			